


# Model connect 17 M



1 2 3 Inside and outside (covered, Zone 2)

easy clean flexible



**Description**

At the flick of a wrist, the clean-off zone can be overlaid with modules designed to blend perfectly with their surroundings. They can easily be cut with the safety knife



Inside and outside (covered, Zone 2)



Street dust, hair, sand, ash, textile fibres, small leaves and twigs, etc.



Damp street dust, damp sand deposits, dust, etc.



Flammability in accordance with European standard Bfl-s1. (Tested by the Textiles & Flooring Institute GmbH).



**Colours**



Black mottled 81.01



Grey mottled 81.03



Brown mottled 81.04



Blue 80.06



### Model connect 17 M

<b>Approx. height (mm)</b>	17
<b>Roll-over and drive-over capability:</b>	Wheelchairs Prams Light shopping trolleys hand trolleys
<b>Standard profile clearance approx. (mm)</b>	0 mm, closed system
<b>Connection</b>	Plug-in system
<b>Weight (kg/m<sup>2</sup>)</b>	12,3
<b>Support chassis</b>	Module made from a durable, rugged, UV resistant plastic.
<b>Tread surface</b>	The MAXIMUS insert is a clean-off floor covering for high-traffic areas where nothing but the most comfortable floor will do. Construction - tufted velour 1/8", pile above substrate 100% polyamide
<b>Flammability</b>	Insert available with fire behaviour in accordance with European standard Bfl-s1.

## Model connect 17 M

### Service and services

Construction site advice

Fitting and installation service

Subject to technical modifications

emco Bautechnik GmbH · Breslauer Straße 34 - 38 · D-49808 Lingen (Ems) ·  
Phone: +49 (0) 591/9140-500 · Fax: +49 (0) 591/9140-852 · Email: bau@emco.de  
· www.emco-bau.com

