

cutting

My Dahle. Since 1930.





For your success.

With our high-performance products we make it faster and easier for you to get the results you are looking for – that's our promise. Our high-quality trimming and cutting products are indispensable assistants in all cutting work – whether in the office, at home, for handicraft or making things at school and playschool. We combine precision with maximum safety, ease of use and options for tailoring our products to suit any specific application.

Valid from 05/2019



leading the way

My Dahle.

Use



Craft & entry-level: Easy and safe cutting precision

Professional use:

Working effi ciency with cutting precision Commercial use:

Always ready for top performance

The basic pictograms



Circular blade enclosed in plastic cutting head for maximum safety



Transparent clamping ruler with integrated finger guard



Blade guard Transparent or metal blade guard for cutting safety

Features



Automatic safety guard for reliable protection and unobstructed view of the cutting process



Material blade for all sorts of applications



Precision laser beam line indicator for professional cutting results



Can be locked to prevent unauthorised use



Quality promise to meet the exacting demands placed on our products







My Dahle.

0

9

Ø





Perfected automatic safety guard for reliable protection and unobstructed view of the cutting edge (561, 562, 564, 565, 867, 868, 567, 597, 569, 599)



Two scale bars marked in millimetres and format lines for an exact 90-degree cut



High-quality blades made of Solingen steel for long-lasting cutting quality

Precise & safe: The right model for any need



Narrow-strip cutting device for cutting extremely thin strips (562, 868, optional: 867, 580, 585) Lockable D-bar clamp suitable for cutting pressure-sensitive materials







DAHLE 502

- Compact, entry-level guillotine for hobby use
- Sturdy solid metal table with rounded edges and non-slip rubber feet
- Practical recessed grips for safe handling
- Practical format lines on the table
- Ergonomically shaped handle
- Upper steel blade
- Lower steel blade
- Manual D-clamp bar
- Two scale bars with mm scale





Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimensions in mm	Net weight in kg
502	320	A4	0.8	8	420 x 175	1.5



DAHLE 533, 534

- Compact, entry-level guillotine for hobby use
- Sturdy solid metal table with rounded edges and non-slip rubber feet
- Practical recessed grips for safe handling
- Practical format lines on the table
- Ergonomically shaped handle
- Screw-mounted, flat-ground upper blade
- Ground lower blade
- High-quality blades made of Solingen steel
- Sturdy, solid-steel blade holder
- Manual D-clamp bar with integrated finger guard
- Two scale bars with mm scale
- Adjustable backstop



Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimensions in mm	Net weight in kg
533	340	A4	1.5	15	450 x 285	3.9
534	460	A3	1.5	15	575 x 285	4.9

¹The indicated sheet capacity for cutting machines is due to standard paper weight of 80 gsm but is still subject to texture, quality and state of paper. All of such information is based on the general formula 10 sheets = 1mm stack height and may only be used as an aid to orientation for the selection of the cutting machine.

Guillotines 🖻



DAHLE 560

- Compact, entry-level guillotine for hobby use
- Sturdy solid metal table with rounded edges and non-slip rubber feet
- Practical recessed grips for safe handling
- Practical format lines on the table
- Ergonomically shaped handle
- Screw-mounted, ground upper blade
- Screw-mounted, ground lower blade
- High-quality blades made of Solingen steel
- Sturdy, solid-steel blade holder
- Transparent blade guard
- Manual D-clamp bar
- Two scale bars with mm scale
- Adjustable backstop



Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimensions in mm	Net weight in kg
560	340	A4	2.5	25	450 x 285	4.0









www.youtube.com/user/dahlebuero

Product	Cutting length	DIN	Cutting capacity
name	in mm		in mm
561	360	A4	3.5



DAHLE 561

- User-friendly guillotine for professional use
- Sturdy solid metal table with rounded edges and non-slip rubber feet
- Practical recessed grips for safe handling
- Practical format lines on the table
- Ergonomically shaped handle
- Screw-mounted, ground upper blade
- Screw-mounted, ground lower blade
- High-quality, re-sharpenable blades made of Solingen steel
- Sturdy, solid-steel blade holder
- Reliable automatic safety guard
- Automatic clamping
- Two scale bars with mm scale •
- Adjustable backstop



Cutting capacity A4 80 g/sm sheets¹ 35

Table size, external dimensions in mm 440 x 265

Net weight in kg



ENGINEERING BY DAHLE

8.8

YEARS



A4

3.5

DAHLE 562

- User-friendly guillotine for professional use
- Sturdy solid metal table with rounded edges and non-slip rubber feet
- Practical recessed grips for safe handling
- Practical format lines on the table
- Ergonomically shaped handle
- Screw-mounted, ground upper blade
- Screw-mounted, ground lower blade
- High-quality, re-sharpenable blades made of Solingen steel

460 x 490

- Sturdy, solid-steel blade holder
- Reliable automatic safety guard
- Automatic, de-selectable clamping
- Two scale bars with mm scale •
- Adjustable backstop in guide channels •
- Front table with magnetic connector
- Precision narrow-strip cutting device
- Precision laser beam line indication





35

¹The indicated sheet capacity for cutting machines is due to standard paper weight of 80gsm but is still subject to texture, quality and state of paper. All of such information is based on the general formula 10 sheets = 1mm stack height and may only be used as an aid to orientation for the selection of the cutting machine.

name

562

360

Guillotines 🞰



DAHLE 564

- User-friendly guillotine for professional use
- Sturdy solid metal table with rounded edges and non-slip rubber feet
- Practical recessed grips for safe handling
- Practical format lines on the table
- Ergonomically shaped handle
- Screw-mounted, ground upper blade
- Screw-mounted, ground lower blade
- High-quality, re-sharpenable blades made of Solingen steel
- Sturdy, solid-steel blade holder
- Reliable automatic safety guard
- Manual D-bar clamp
- Two scale bars with mm scale
- Adjustable backstop in guide channels
- Push-in front stop
- Precision laser beam line indication



Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets1	Table size, external dimensions in mm	Net weight in kg
564	360	A4	4.5	45	475 x 310	9.3







DAHLE 565

- · User-friendly guillotine for professional use
- · Sturdy solid metal table with rounded edges and non-slip rubber feet
- Practical recessed grips for safe handling
- Practical format lines on the table
- Ergonomically shaped handle
- Extra-large working area
- Screw-mounted, ground upper blade
- Screw-mounted, ground lower blade
- High-quality, re-sharpenable blades made of Solingen steel
- · Sturdy, solid-steel blade holder
- Reliable automatic safety guard
- Automatic clamping
- Two scale bars with mm scale
- Adjustable backstop
- Pull-out front stop, up to 170 mm
- Precision narrow-strip cutting device



external dimensions

Table size,

in mm

475 x 355

Product	Cutting length	DIN	Cutting capacity
name	in mm		in mm
565	390	A4	4.0



DAHLE 867

Cutting capacity

A4 80 g/sm

sheets 1

40

- User-friendly guillotine for professional use
- Sturdy solid metal table with rounded edges and non-slip rubber feet

Net weight

in kg

8.9

- Practical recessed grips for safe handling
- Practical format lines on the table
- Ergonomically shaped handle
- Screw-mounted, ground upper blade
- Screw-mounted, ground lower blade
- High-quality, re-sharpenable blades made of Solingen steel
- Sturdy, solid-steel blade holder
- Reliable automatic safety guard
- Automatic, de-selectable clamping
- Two scale bars with mm scale
- Adjustable metal backstop in guide channels
- Front table with magnetic connector optionally available (794)
- Precision narrow-strip cutting device optionally available (793)
- Precision laser beam line indication optionally available (795)



Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimensions in mm	Net weight in kg	
				JIICCLU			
867	460	A3	3.5	35	513 x 365	11.7	

¹The indicated sheet capacity for cutting machines is due to standard paper weight of 80 gsm but is still subject to texture, quality and state of paper. All of such information is based on the general formula 10 sheets = 1mm stack height and may only be used as an aid to orientation for the selection of the cutting machine.

Guillotines 🞰



DAHLE 868

- User-friendly guillotine for professional use
- Sturdy solid metal table with rounded edges and non-slip rubber feet

OUALIT

YEARS

GERMAN ENGINEERING BY DAHLE

- Practical recessed grips for safe handling
- Practical format lines on the table
- Ergonomically shaped handle
- Screw-mounted, ground upper blade
- Screw-mounted, ground lower blade
- High-quality, re-sharpenable blades made of Solingen steel
- Sturdy, solid-steel blade holder
- Reliable automatic safety guard
- Automatic, de-selectable clamping
- Two scale bars with mm scale
- · Adjustable metal backstop in guide channels
- Front table with magnetic connector
- Precision narrow-strip cutting device
- Precision laser beam line indication



www.youtube.com/user/dahlebuero

Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimensions in mm	Net weight in kg
868	460	A3	3.5	35	513 x 565	14.5





DAHLE 567, 597

- High-quality guillotines for commercial use
- Sturdy solid metal table with non-slip rubber feet
- Practical format lines on the table
- Sturdy handle with well-defined guard
- Screw-mounted, ground upper blade
- Screw-mounted, ground lower blade
- High-quality, re-sharpenable blades made of Solingen steel
- Sturdy, solid-steel blade holder
- Reliable automatic safety guard
- Lockable D-bar clamp
- Two scale bars with mm scale
- Adjustable, screw-mounted metal backstop
- Pull-out front stop, up to 210 mm
- DAHLE 567 with paper blade
- DAHLE 597 with material blade



www.youtube.com/user/dahlebuero





Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimensions in mm	Net weight in kg	Features
567	550	A3	3.5	35	600 x 365	14.7	Paper blade
597	550	A3	3.5	-	600 x 365	14.7	Material blade ²

¹The indicated sheet capacity for cutting machines is due to standard paper weight of 80 gsm but is still subject to texture, quality and state of paper. All of such information is based on the general formula 10 sheets = 1mm stack height and may only be used as an aid to orientation for the selection of the cutting machine.

Guillotines



A3

3.5

DAHLE 517, 587

- High-quality guillotines for commercial use
- Sturdy solid metal table with non-slip rubber feet
- Practical format lines on the table
- Sturdy handle with well-defined guard
- Screw-mounted, ground upper blade
- Screw-mounted, ground lower blade •
- High-quality, re-sharpenable blades made of Solingen steel
- Sturdy, solid-steel blade holder
- Metal guard plate

QUALITY 4 YEARS UARANT

- Lockable D-bar clamp
- Two scale bars with mm scale
- Adjustable, screw-mounted metal backstop

600 x 365

15.8

- Pull-out front stop, up to 210 mm
- DAHLE 517 with paper blade
- DAHLE 587 with material blade



Product

name

517

587

www.youtube.com/user/dahlebuero

550


550

e.com/user/uam	ebuero					
Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimensions in mm	Net weight in kg	Features
550	A3	3.5	35	600 x 365	15.8	Paper blac

aper blade Material blade²







DAHLE 569, 599

- High-quality guillotines for commercial use
- Sturdy solid metal table with non-slip rubber feet
- Practical format lines on the table
- Sturdy handle with well-defined guard
- Screw-mounted, ground upper blade
- Screw-mounted, ground lower blade
- High-quality, re-sharpenable blades made of Solingen steel
- Sturdy, solid-steel blade holder
- Reliable automatic safety guard
- Lockable D-bar clamp
- Two scale bars with mm scale
- Adjustable, screw-mounted metal backstop
- Extendible front stop, up to 210 mm
- Lockable
- Practical stand with storage shelf optionally available (619)
- DAHLE 569 with paper blade
- DAHLE 599 with material blade





16

www.youtube.com/user/dahlebuero

Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimensions in mm	Net weight in kg	Features
569	700	A2	3.5	35	750 x 550	23.3	Paper blade
599	700	A2	3.5	-	750 x 550	23.3	Material blade ²

¹The indicated sheet capacity for cutting machines is due to standard paper weight of 80 gsm but is still subject to texture, quality and state of paper. All of such information is based on the general formula 10 sheets = 1mm stack height and may only be used as an aid to orientation for the selection of the cutting machine.

Guillotines



DAHLE 519, 589

- High-quality guillotines for commercial use
- Sturdy solid metal table with non-slip rubber feet
- Practical format lines on the table
- Sturdy handle with well-defined guard
- Screw-mounted, ground upper blade
- Screw-mounted, ground lower blade
- High-quality, re-sharpenable blades made of Solingen steel
- Sturdy, solid-steel blade holder
- Metal guard plate
- Lockable D-bar clamp
- Two scale bars with mm scale •
- Adjustable, screw-mounted metal backstop
- Extendible front stop, up to 210 mm
- Lockable
- Practical stand with storage shelf optionally available (619)
- DAHLE 519 with paper blade
- DAHLE 589 with material blade





Ρ





Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimensions in mm	Net weight in kg	Features
519	700	A2	3.5	35	750 x 550	25.7	Paper blade
589	700	A2	3.5	-	750 x 550	25.7	Material blade ²





DAHLE 580

- High-quality guillotine for commercial use
- Sturdy solid metal table with rounded corners
- Practical format lines on the table
- Narrow guide channels in the table
- Ergonomically shaped handle
- Screw-mounted, ground material blade
- Screw-mounted, ground lower blade
- High-quality, re-sharpenable blades made of Solingen steel
- Sturdy, solid-steel blade holder
- Transparent blade guard
- Convenient foot-operated clamp
- Two scale bars with mm scale
- Adjustable metal backstop in guide channels
- Lockable
- Permanently attached stand with storage shelf
- Folding front table
- Precision narrow-strip cutting device optionally available (793)

QUALITY

YEARS UARAN

*

GERMAN ENGINEERING

BY DAHLE

60.0 Material blade²

• Precision laser beam line indication optionally available (797)



Product name



865 x 960

Cutting length in mm	DIN	Cutting capacity in mm	Table size, external dimensions in mm	Table size, external dimensions with supporting table in mm	Net weight in kg	Features

865 x 580

580 815 A2 4.0

www.youtube.com/user/dahlebuero

² Material blades are suitable for a huge range of different materials and consist of a different edge grinding compared to paper blades. The mentioned cutting capacity
may not fully be utilized with all of the eligible materials. Especially when cutting paper with a material blade, the indicated height capacity must not be fully utilized. In
this case, we recommend the usage of a cutting machine with paper blade.

Workshop guillotines



DAHLE 585

- High-quality guillotine for commercial use
- Sturdy solid metal table with rounded corners
- Practical format lines on the table
- Narrow guide channels in the table
- Ergonomically shaped handle
- Screw-mounted, ground material blade
- Screw-mounted, ground lower blade
- High-quality, re-sharpenable blades made of Solingen steel
- Sturdy, solid-steel blade holder
- Transparent blade guard
- Convenient foot-operated clamp
- Two scale bars with mm scale
- · Adjustable metal backstop in guide channels
- Lockable
- · Permanently attached stand with storage shelf
- Folding front table
- Precision narrow-strip cutting device optionally available (793)
- Precision laser beam line indication optionally available (797)






www.youtube.com/user/dahlebuero





19



Large quantities of paper can be cut with effortless ease



Also available as desk-top model (842, 846, 848)



High-quality, re-sharpenable steel blade for reliable and powerful cutting performance

Powerful & exact:

The effortless way to cut through up to 800 sheets of paper with millimetre precision



Transparent blade cover guards provide reassuring safety and unobstructed vision while cutting (846, 848)



Adjustable metal backstop for quickly finding the right format



Lockable hand crank for adjusting the spindle-driven backstop (846, 848)



Convenient quick-action clamp for swift results







DAHLE 842

- High-quality guillotine for commercial use
- Solid metal table
- Sturdy handle
- Screw-mounted, ground upper blade
- High-quality, re-sharpenable blade made of Solingen steel
- Sturdy blade cover guard made of metal
- Convenient quick-action clamp •
- Perfectly accurate scale bar with mm scale
- . Adjustable metal backstop
- Easy-to-change cutting edge
- Minimum cut 35 mm •
- Practical stand with storage shelf optionally available (712) •





www.youtube.com/user/dahlebuero

Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimen- sions, in mm	Off-cut side area mm	Cutting side area mm	Net weight in kg
842	430	A3	30.0	300	720 x 590	430 x 430	430 x 215	31.0



www.youtube.com/user/dahlebuero

DAHLE 846

- · High-quality guillotine for commercial use
- Solid metal table
- Sturdy handle
- Screw-mounted, ground upper blade
- High-quality, re-sharpenable blade made of Solingen steel
- Transparent blade cover guards •
- Convenient quick-action clamp •
- Perfectly accurate scale bar with mm scale
- Spindle-driven, self-locking metal backstop •
- Easy-to-change cutting edge
- Minimum cut 40 mm
- Visual indication of cutting line
- Practical stand with storage shelf optionally available (712)



Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimen- sions, in mm	Off-cut side area mm	Cutting side area mm	Net weight in kg
				Sheets	510115, 111 11111			
846	430	A3	60.0	600	760 x 650	430 x 430	430 x 215	42.0

¹The indicated sheet capacity for cutting machines is due to standard paper weight of 80gsm but is still subject to texture, quality and state of paper. All of such information is based on the general formula 10 sheets = 1mm stack height and may only be used as an aid to orientation for the selection of the cutting machine.

Heavy-duty cutters



DAHLE 848


- High-quality guillotine for commercial use
- Solid metal table
- Sturdy handle
- Screw-mounted, ground upper blade
- High-quality, re-sharpenable blade made of Solingen steel
- Transparent blade cover guards
- Convenient quick-action clamp
- Perfectly accurate scale bar with mm scale
- Spindle-driven, self-locking metal backstop
- Easy-to-change cutting edge
- Minimum cut 40 mm
- Visual indication of cutting line
- Practical stand with storage shelf optionally available (718)



Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimen- sions, in mm	Off-cut side area mm	Cutting side area mm	Net weight in kg
848	475	A3	80.0	800	860 x 720	475 x 460	475 x 300	60.0



Creative & reliable: For precision, burr-free and large-format cutting work



505 rotary trimmer a creative and talented all-rounder

Trimmers



for safe trimmer use



Automatic clamping on the cutting line for holding item being cut perfectly in place





Sturdy stand with waste tray for optimum working height (accessory for: 446, 448, 472, 556, 558)



Adjustable backstop for quickly finding the right format







Deckle-edge cut Perforation Folds

DAHLE 505

- The 5-in-1 talented all-rounder
- Ultra-slim table
- Non-slip rubber feet
- Practical format lines on the table
- Ground circular blade
- Lower blade
- Push-on cutting head cover and enclosed blade cassettes
- Automatic clamping on the cutting line
- Two scale bars with mm scale
- Four clip-in decorative-cut cassettes for wavy cut, deckle-edge cut, perforation and folds
- Practical cassette parking position
- · Inspection window in side section
- Two indicators for both cutting directions for decorative cutting styles
- Cutting capacity for decorative cutting styles 0.3 mm



Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimensions in mm	Net weight in kg
505	320	A4	0.8	8	477 x 213	1.2



ct	Cutting length in mm	DIN	0 1 2	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimensions in mm	Net weight in kg	Colours
	320	A4	0,8	8	440 x 211	1,0	
	460	A3	0,6	6	580 x 211	1,3	

¹The indicated sheet capacity for cutting machines is due to standard paper weight of 80gsm but is still subject to texture, quality and state of paper. All of such information is based on the general formula 10 sheets = 1mm stack height and may only be used as an aid to orientation for the selection of the cutting machine.

507 508

Trimmers 🞰



DAHLE 550, 552, 554, 556, 558

- User-friendly trimmer for professional use
- Sturdy solid metal table with non-slip rubber feet
- Practical format lines on the table
- Ground circular blade
- Ground lower blade
- High-quality blades in hardened steel
- Circular blade enclosed in plastic cutting head
- Automatic clamping on the cutting line
- Scale bar with mm scale
- Adjustable backstop
- · Hanging capability for wall mounting



Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimensions in mm	Net weight in kg
00550-21234	360	A4	2.0	20	555 x 360	3.0
00552-21242	510	A3	2.0	20	705 x 360	3.4
00554-21243	720	A2	2.0	20	915 x 360	4.6
00556-21248	960	A1	1.0	10	1,155 x 360	6.6
00558-21246	1300	A0	0.7	7	1,495 x 360	8.2



DAHLE 556, 558 with stand

- User-friendly trimmer for professional use
- Sturdy solid metal table with non-slip rubber feet
- Practical format lines on the table
- Ground circular blade
- Ground lower blade
- High-quality blades in hardened steel
- Circular blade enclosed in plastic cutting head
- Automatic clamping on the cutting line
- Scale bar with mm scale
- Adjustable backstop
- · Hanging capability for wall mounting
- · Complete with stand and practical waste tray



Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimensions in mm	Net weight in kg
00556-20322	960	A1	1.0	10	1,155 x 360	33.8
00558-20323	1300	A0	0.7	7	1,495 x 360	41.5



2-year warranty on proper working order provided the product is used as intended.





DAHLE 440, 442, 444, 446, 448

- User-friendly trimmer for professional use
- Sturdy solid metal table with non-slip rubber feet
- Practical format lines on the table
- Ground circular blade
- Ground lower blade
- High-quality blades in hardened steel
- Circular blade enclosed in plastic cutting head
- Automatic clamping on the cutting line
- Two scale bars with mm scale
- Adjustable backstop
- Cutting head easy to change





www.youtube.com/user/dahlebuero



Table size,	Net we

Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimensions in mm	Net weight in kg
00440-21310	360	A4	3.5	35	560 x 384	3.9
00442-20420	510	A3	3.5	35	710 x 384	5.1
00444-09686	670	A2	3.0	30	870 x 384	5.8
00446-20421	920	A1	2.5	25	1,120 x 384	7.7
00448-20422	1300	A0	2.0	20	1,500 x 384	10.0



DAHLE 446, 448 with stand

- User-friendly trimmer for professional use
- Sturdy solid metal table with non-slip rubber feet
- Practical format lines on the table
- Ground circular blade
- Ground lower blade
- High-quality blades in hardened steel
- Circular blade enclosed in plastic cutting head
- Automatic clamping on the cutting line
- Two scale bars with mm scale
- Adjustable backstop
- Cutting head easy to changel
- · Complete with stand and practical waste tray



Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets ¹	Table size, external dimensions in mm	Net weight in kg
00446-20320	920	A1	2.5	25	1,120 x 384	24.4
00448-20321	1300	A0	2.0	20	1,500 x 384	30.7

¹The indicated sheet capacity for cutting machines is due to standard paper weight of 80gsm but is still subject to texture, quality and state of paper. All of such information is based on the general formula 10 sheets = 1mm stack height and may only be used as an aid to orientation for the selection of the cutting machine.

Trimmers 🞰



DAHLE 472

- User-friendly trimmer for professional use
- Sturdy solid metal table
- Practical format lines on the table
- Ground circular blade
- Ground lower blade
- High-quality blades in hardened steel
- Circular blade enclosed in plastic cutting head
- Automatic clamping on the cutting line
- Two scale bars with mm scale
- Adjustable backstop
- Cutting head easy to change



Product name	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets1	Table size, external dimensions in mm	Net weight in kg
00472-11721	1830	A0+	1,0	10	2,030 x 384	21.5









DAHLE 450

- Professional long-format trimmer for cutting oversize formats
- Antistatic aluminium support table
- Side bars open at both endsfor continuously trimming
- Self-sharpening, no-maintenance circular blade
- Ground lower blade
- Circular blade enclosed in plastic cutting head
- Item being cut automatically clamped down during the cutting process
- Complete with stand and practical waste tray
- Maximum material quality for paper: 55 250 g/m² | card: 1 mm max. | foil/film: 0.5 mm max.| laminate: 0.5 mm max.



1500

450

Product name	Cutting length in mm	DIN	Table size, external dimensions in mm	Net weight in kg

A0+ 1,742 x 460

36.0

2-year warranty on proper working order provided the product is used as intended	ed.

Your life. Your work. Your COLOR ID.

NOVUS B 230

DAHLE 54508

NOVUS B4

COMILE

DAHLE 507

Fun and Colourful

Colourful office technology

Fun and bright companions for every desk.

COLOR ID create bright color accents for everyday life and bring an individual yet professional style to your desk.



length mmMMMetalMetalMUpper bladeLower bladeGuard panelAutomatic safety guard502320A40.8490000000503340A41.5490900000504340A41.5490900000560340A42.5590000000560360A43.5590000000561360A43.5590000000562360A43.5590000000564360A43.5590000000565390A44.0590000000567360A33.55900000000567*700A23.55900000000567*700A23.55000000000567*700A23.55<	Guine	Junes										
length mmMMMetalMetalMUpper bladeLower bladeGuard panelAutomatic safety guard502320A40.8490000000503340A41.5490900000504340A41.5490900000560340A42.5590000000560360A43.5590000000561360A43.5590000000562360A43.5590000000564360A43.5590000000565390A44.0590000000567360A33.55900000000567*700A23.55900000000567*700A23.55000000000567*700A23.55<	Product	Cutting			Quality	Table		Blades		Blade gu	ard	Clamping mode
mm <td>name</td> <td>_</td> <td>DIN</td> <td> Capacity</td> <td></td> <td></td> <td> Plastic</td> <td></td> <td></td> <td></td> <td></td> <td></td>	name	_	DIN	Capacity			Plastic					
Join Join Join Join Join Join Join Join Join 502 320 A4 0.8 4 1				mm		Metal						
SO2 320 A4 0.8 4 0 0 0 0 0 Hand clamp 533 340 A4 1.5 4 0 0 0 0 Hand clamp 534 460 A3 1.5 4 0 0 0 0 Hand clamp 560 340 A4 2.5 5 0 0 0 0 Hand clamp 560 360 A4 3.5 5 0 0 0 0 Automatic clamp 561 360 A4 3.5 5 0 0 0 0 Automatic clamp 564 360 A4 4.5 5 0 0 0 0 0 0 0 565 390 A4 4.0 5 0		mm						blade	blade	panei	safety guard	
SO2 320 A4 0.8 4 0 0 0 0 0 Hand clamp 533 340 A4 1.5 4 0 0 0 0 Hand clamp 534 460 A3 1.5 4 0 0 0 0 Hand clamp 560 340 A4 2.5 5 0 0 0 0 Hand clamp 560 360 A4 3.5 5 0 0 0 0 Automatic clamp 561 360 A4 3.5 5 0 0 0 0 Automatic clamp 564 360 A4 4.5 5 0 0 0 0 0 0 0 565 390 A4 4.0 5 0												
533340A41.544666661Hand clamp534460A31.5466666Hand clamp560340A42.556666AHand clamp561360A43.556666AAutomatic clamp562360A44.556666Automatic clamp564360A44.056666Automatic clamp565390A44.056666Automatic clamp56760A33.5566666557750A33.55666655597*700A23.5566665597*700A23.55666655597*50A33.55666655597*700A23.55666655597*700A23.55666655597*700A23.55666655597*700A23.5566			DIN		17							
533340A41.544666661Hand clamp534460A31.5466666Hand clamp560340A42.556666AHand clamp561360A43.556666AAutomatic clamp562360A44.556666Automatic clamp564360A44.056666Automatic clamp565390A44.056666Automatic clamp56760A33.5566666557750A33.55666655597*700A23.5566665597*700A23.55666655597*50A33.55666655597*700A23.55666655597*700A23.55666655597*700A23.55666655597*700A23.5566				± 1								
534460A31.544111 </td <td>502</td> <td>320</td> <td>A4</td> <td>0.8</td> <td>4</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Hand clamp</td>	502	320	A4	0.8	4							Hand clamp
560340A42.55511111Hand clamp561360A43.551111Automatic clamp562360A43.5511111Selectable and de-selectable clamp564360A44.55111111Selectable and de-selectable clamp565390A44.05111111Automatic clamp867*460A33.551111111868460A33.551111111577550A33.551111111569**700A23.551111111597*550A33.5511111111597*700A23.55111111111597*700A23.55111111111597*700A23.55111111111597*700A23.55111111 <td>533</td> <td>340</td> <td>A4</td> <td>1.5</td> <td>4</td> <td></td> <td></td> <td></td> <td>Ŧ</td> <td></td> <td></td> <td>Hand clamp</td>	533	340	A4	1.5	4				Ŧ			Hand clamp
561360A43.55IIIIIAutomatic clamp562360A43.55IIIIISelectable and de-selectable clamp564360A44.55IIIIIII565390A44.05IIIIIAutomatic clamp567360A33.55IIIIII868460A33.55IIIIII577550A33.55IIIIII597550A33.55IIIIIII599**700A23.55IIIIIIII597550A33.55IIIIIIIII599**700A23.55II <t< td=""><td>534</td><td>460</td><td>A3</td><td>1.5</td><td>4</td><td></td><td></td><td></td><td>+</td><td></td><td></td><td></td></t<>	534	460	A3	1.5	4				+			
562360A43.55IIIIIISelectable and de-selectable clamp564360A44.55IIIIIIStay-down hand clamp565390A44.05IIIIIAutomatic clamp867*460A33.55IIIIIII868460A33.55IIIIIII57550A33.55IIIIIII597550A33.55IIIIIIII597*700A23.55IIIIIIIII599**700A23.55IIIIIIIIII597*550A33.55IIIIIIIIIII599**700A23.55II	560	340	A4	2.5	5			+	+			
562560A45.555666 </td <td>561</td> <td>360</td> <td>A4</td> <td>3.5</td> <td>5</td> <td></td> <td></td> <td>+</td> <td>+</td> <td></td> <td></td> <td>Automatic clamp</td>	561	360	A4	3.5	5			+	+			Automatic clamp
565390A44.05IIIIAutomatic clamp867*460A33.55IIIISelectable and de-selectable clamp868460A33.55IIIISelectable and de-selectable clamp567550A33.55IIIIStay-down hand clamp597550A33.55IIIIStay-down hand clamp569**700A23.55IIIIStay-down hand clamp597*550A33.55IIIIII599**700A23.55IIIIIII517550A33.55IIIIIIII517550A33.55IIIIIIIII517550A33.55IIIIIIIIIII517550A33.55II <td>562</td> <td>360</td> <td>A4</td> <td>3.5</td> <td>5</td> <td></td> <td></td> <td>÷</td> <td>H</td> <td></td> <td></td> <td>Selectable and de-selectable clamp</td>	562	360	A4	3.5	5			÷	H			Selectable and de-selectable clamp
565390A44.05IIIIAutomatic clamp867*460A33.55IIIISelectable and de-selectable clamp868460A33.55IIIISelectable and de-selectable clamp567550A33.55IIIIStay-down hand clamp597550A33.55IIIIStay-down hand clamp569**700A23.55IIIIStay-down hand clamp597*550A33.55IIIIII599**700A23.55IIIIIII517550A33.55IIIIIIII517550A33.55IIIIIIIII517550A33.55IIIIIIIIIII517550A33.55II <td>564</td> <td>360</td> <td>Δ4</td> <td>4.5</td> <td>5</td> <td></td> <td></td> <td></td> <td>ER .</td> <td></td> <td></td> <td>Stav-down hand clamp</td>	564	360	Δ4	4.5	5				ER .			Stav-down hand clamp
867*460A33.55IIIIISelectable and de-selectable clamp868460A33.55IIIIISelectable and de-selectable clamp567550A33.55IIIIIIStay-down hand clamp597550A33.55IIIIIIII597*700A23.55IIIIIIII597*700A23.55IIIIIIII597*700A23.55IIIIIIII597*700A23.55IIIIIIII597*700A23.55IIIIIIII597*700A23.55IIIIIIII597*700A23.55IIIIIIIII597*700A33.55IIIIIIIIII597*700A33.55IIIIIIIIIII597*700A3	565										_	
560ASS.SSS <td>867*</td> <td>460</td> <td>A3</td> <td>3.5</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td></td>	867*	460	A3	3.5							_	
597 550 A3 3.5 5 Image: Constraint of the strength of the strengy of the strength of the strength of the strengy of	868	460	A3	3.5	5			Ŧ	+		-	Selectable and de-selectable clamp
597 550 A3 3.5 5 Image: Constraint of the strength of the strengy of the strength of the strength of the strengy of	567	550	A3	3.5	5			H	Ŧ			Stay-down hand clamp
569** 700 A2 3.5 5 Image: Algorithm of the strength of the strenge s	597	550	A3	3.5	5				+			
517 550 A3 3.5 5 Image: Constraint of the state of the	569**	700	A2	3.5	5			H	Ŧ			
587 550 A3 3.5 5 Image: Constraint of the state of th	599**	700	A2	3.5	5			+	•			Stay-down hand clamp
519 ** 700 A2 3.5 5 ■ ■ ■ ■ Stay-down hand clamp	517	550	A3	3.5	5			+	+			Stay-down hand clamp
	587	550	A3	3.5	5			+	+			Stay-down hand clamp
589 ** 700 Δ2 35 5 Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε	519**	700	A2	3.5				+	+			
	589**	700	A2	3.5	5			Ð	+			Stay-down hand clamp
	580*		1					+	+			
585* 1100 A1 4.0 5 ■ + + ■ Foot-operated clamp	585*	1100	A1	4.0	5			+	+			Foot-operated clamp

Guillotines

Heavy-duty cutters

842**	430	A3	30.0	5		Safety cover	Quick-action clamp
846**	430	A3	60.0	5	+	Safety cover	Quick-action clamp
848**	475	A3	80.0	5	+	Safety cover	Quick-action clamp

Rotary trimmers

Product name	Cutting length mm	DIN	capacity mm	Quality	Table Metal	Plastic	Blades Circular blade	Lower blade	Blade guard enclosed plastic cutting head	Clamping mode
505	320	A4	0.8	4			H			Automatic clamp
507	320	A4	0.8	4			+			Automatic clamp
508	460	A3	0.6	4			±			Automatic clamp
550	360	A4	2.0	5			+	Ŧ		Automatic clamp
552	510	A3	2.0	5			+	+		Automatic clamp
554	720	A2	2.0	5			+	+		Automatic clamp
556**	960	A1	1.0	5			+	+		Automatic clamp
558**	1300	A0	0.7	5			+	Ŧ		Automatic clamp
440	360	A4	3.5	5			=	-		Automatic clamp
442	510	A3	3.5	5			+	+		Automatic clamp
444	670	A2	3.0	5			+	•		Automatic clamp
446**	920	A1	2.5	5			+	+		Automatic clamp
448**	1300	AO	2.0	5			+	-		Automatic clamp
472	1830	A0+	1.0	5			+	•		Automatic clamp
450	1500	A0 +	1.0	5			+	+		Automatic clamp

* These models can be upgraded to suit individual requirements (see table: customised upgrades) ** These models can be equipped with a stand (see table: stands)

Stands								
Product	Height in	for products	Product	Height in	for products	Product	Height in	for products
name	mm		name	mm		name	mm	
619	740	519, 569, 589, 599	696	875	556	798	875	448
712	740	842, 846	698	875	558			
718	740	848	796	875	446			

Summary of technical specifications

Scale bars	Bottom	in cm	in DIN	in Inch	Backstop	Front stop	Dimensions mm	Weight net	Features	Product name
								kg		
							420 x 175	1.5		502
							450 x 285	3.9		533
							575 x 285	4.9		534
							450 x 285	4.0		560
							440 x 265	6.1		561
		•			-		460 x 490	8.8	Front table, laser module and narrow-strip cutting device	562
							475 x 310	9.3	Laser module	564
							475 x 355	8.9	Narrow-strip cutting device	565
							513 x 365	11.7		867*
-			-		-		513 x 565	14.5	Front table, laser module and narrow-strip cutting device	868
							600 x 365	14.7		567
							600 x 365	14.7		597
							750 x 550	23.3	Lockable	569**
							750 x 550	23.3	Lockable	599**
							600 x 365	15.8		517
							600 x 365	15.8		587
							750 x 550	25.7	Lockable	519**
							750 x 550	25.7	Lockable	589**
							865 x 580	60.0	Lockable, supporting table	580*
							1165 x 760	84.0	Lockable, supporting table	585*

				720 x 590	31.0	Minimum cut 35 mm	842**
				760 x 650	42.0	Minim. cut 40 mm, visual indic. of cutting line	846**
				860 x 720	60.0	Minim. cut 40 mm, visual indic. of cutting line	848**

Scale bars Top	Bottom	in cm	in DIN	in Inch	Backstop	Dimensions mm	Weight net	Features	Product name
-						477 x 213	1.2	Including 4 decorative-cut cassettes for wavy and deckle-edge cut, perforation and folds	505
						440 x 211	1.0		507
						580 x 211	1.3		508
						555 x 360	3.0		550
						705 x 360	3.4		552
						915 x 360	4.6		554
						1155 x 360	6.6		556**
						1495 x 360	8.2		558**
						560 x 384	3.9		440
						710 x 384	4.9		442
						870 x 384	5.7		444
						1120 x 384	7.4		446**
						1500 x 384	10.0		448**
						2030 x 384	13.0	Including stand with practical waste tray	472
						1742 x 460	36.0	Including stand with practical waste tray	450

Cutting capacity: 1mm is equal to approx. 10 sheets of 70 g paper and 8 sheets of 80 g paper ground upper, lower and/or circular blade

Optional equipment

Product name	Туре	for products
793	Narrow-strip cutting device	867, 580, 585
794	Front table 513 x 180 mm	867
795	Laser module	867
797	Laser module	580, 585



What materials do you want to cut?

Suitable for cutting	Paper	or sim	ilar ma	aterial	ls, such	as labe	els, pho	otos, f	ilm ma	terial			Paper	and m	aterial	ls,	
Cutting length mm	up to 4	460							from 460				up to 460				
Cutting machines	Guillotines				Rotary trimme					ers			Guillot with fr	ines ont stop)		
	Pro- duct name length capac.	Page	Pro- duct name	Cutting length	g capac.	Page	Pro- duct name	Cutting length	g capac.	Page	Pro- duct name	Cutting	g capac.	Page			
Cutting capacity up to 1.0 mm	502	320	0.8	8	505 507	320 320	0.8 0.8	26 26	508 556 558 472 450	460 960 1300 1830 1500	0.6 1.0 1.7 1.0 1.0	26 27 27 29 30					
Cutting capacity up to 2.5 mm					550	360	2.0	27	552 554 446 448	510 720 920 1300	2.0 2.0 2.5 2.0	27 27 28 28					
Cutting capacity up to 3.5 mm					440	360	3.5	28	442 444	510 670	3.5 3.0	28 28					
Cutting capacity up to 5.0 mm													564 565	360 390	4.5 4.0	11 12	
Cutting capacity up to 30 mm																	
Cutting capacity up to 60 mm Cutting capacity up to 80 mm																	

such as plastic, leather, sheet metals, card													Stack of paper							
up to 4	60			from 460								up to 460				from 460				
Guillotines without front stop				Guillotines with front stop				Guillotines without front stop				Heavy-duty cutters								
Pro- duct name	Cutting length capac		Page	Pro- duct name	t j		Page	Pro- duct name	Cutting length capac.		Page	Pro- duct name	Cutting length capac.		Page	Pro- duct name	Cutting Pa length capac.		Page	
533 560	340 340	1.5 2.5	8 9					534	460	1.5	8	_								
561	360	3.5	10	517	550	3.5	15	867	460	3.5	12									
562	360	3.5	10	587 567 597 519	550 550 550 700	3.5	15 14 14 17	868	460	3.5	13									
				589 569 599	700 700 700 700	3.5	17 17 16 16													
								580 585	815 1100	4.0 4.0	18 19	0.42	420	20	22					
												842 846	430 430	30 60	22					
												540	.50			848	475	80	23	







smart


My Dahle.



Sharp & strong: versatile tools for perfect cutting results



Paper cutters, cutters, scalpels and accessories



Sturdy cutting mat with self-healing surface and guide lines provides a safe and clearly structured cutting base



Blades easy to change for continuous use



High-quality cutters for neatly cut shapes



Various scalpel blades are available for many different areas of use





DAHLE cutting mat and ruler with integrated cutter

- Firm cutting mat and ruler with integrated cutter
- Practical circular blade in the plastic cutting head
- Manual clamping
- 362: optionally available creative set for zig-zag cut and perforation

Product name	Туре	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets	Table size, exter- nal dimensions in mm	Net weight in kg
350	Paper cutters	310	A4	0.3	3	100 x 380	0.3




DAHLE cutting mat and ruler with integrated cutter, including creative set

- Firm cutting mat and ruler with integrated cutter
- Practical circular blade in the plastic cutting head
- Manual clamping
- Includes creative set for zig-zag cut and perforation

Product name	Туре	Cutting length in mm	DIN	Cutting capacity in mm	Cutting capacity A4 80 g/sm sheets	Table size, exter- nal dimensions in mm	Net weight in kg
360	Paper cutters	310	A4	0.3	3	100 x 380	0.3
	•						


Paper cutters, cutters, scalpels and accessories



DAHLE Self-healing cutting mat with non-cuttable core

- Knife mat in sturdy triple-layer design with non-cuttable core and self-healing cutting surface
- Clearly arranged guide lines for optimum positioning of the material being cut

Product name	Туре	Size cm
10690	Knife mat in A4 size	22 x 30
10691	Knife mat in A3 size	30 x 45
10692	Knife mat in A2 size	45 x 60
10693	Knife mat in A1 size	60 x 90





DAHLE High-quality aluminium cutting ruler

- High-quality aluminium cutting ruler with a long life
- Easy-to-read centimetre graduation for maximum precision while cutting
- Precision cutting edge with steel inlay for a neat cut

Product name	Туре	Length cm
10681 10682	Cutting ruler Cutting ruler	60 100
	0	






DAHLE High-quality cutter with lockable snap-off blade

- Attractively designed cutters for neatly cut shapes and smooth edges
- Lockable snap-off blade knife for cutting work convenience
- Safe blade carrier in metal for high stability

Product name	Туре	Blade mm	Blades	Snap-off blades	Features
10860 10870	Cutter, small Cutter, medium	9 9	1 1	12 12	2 replacement blades
10875	Cutter, large	18	1	8	2 replacement blades
Product name	Туре	Content	For the products		
10731	Replacement blade	50	10860, 10870		
10741	Replacement blade	50	10875		



DAHLE Precision disposable scalpel

• Disposable scalpel with integral blade

Product name	Туре	Blade
10611 10612	Disposable scalpel Disposable scalpel	No. 10 No. 11
10613	Disposable scalpel	No. 15

Paper cutters, cutters, scalpels and accessories



An exact blade guidance is guaranteed by the metal core, the locking mechanism locks the blade in the selected position



With its ergonomically shaped rubberized grip section, the cutter provides a good and secure grip



2-year warranty on proper working order provided the product is used as intended.



Practical micro-serration reliably grips the material being cut (50038)



Screw-fastened joint with nylon retainer for optimum tension and permanent cutting precision



Precision-ground scissor blades for cutting perfection through to the tip



Rubber lined soft-touch handle for continued comfort while cutting

High-quality & easy to use: Indispensable helpers at any workplace, in kindergarden or school



Suitable scissors for children aged between 3 and 6 years are provided with rounded scissor blades – for children aged between 7 and 14 years with pointed scissor blades



The Try-Me blister allows the scissors to be tested directly on the shelf



Rounded scissor blade with centimetre graduation for cutting precision



Scissor handles in non-breakable ABS plastic for cutting comfort



PROFESSIONAL scissors



DAHLE PROFESSIONAL scissors

- Professional scissors for the most exacting demands on quality and durability
- High-quality, hardened stainless steel (56 Rockwell)
- Precision-ground scissor blades for exact cutting results
- Firm screw-fastened joint with additional nylon retainer for simple re-adjustment of the blade tension
- Resharpenable scissor blades for perfect, constant cutting results
- High-quality scissor handles in highly impact-resistant ABS plastic
- Stainless, dishwasher-safe and colour-fast materials
- for long life

Product name	Туре	Inch	Size cm	Right- hand	Contents
50045	PROFESSIONAL household scissors	5	13		Retail pack: 1 pair of scissors
50046	PROFESSIONAL household scissors	6	16		Retail pack: 1 pair of scissors
50008	PROFESSIONAL paper scissors	8	21		Retail pack: 1 pair of scissors
50010	PROFESSIONAL paper scissors	10	26		Retail pack: 1 pair of scissors
52045	PROFESSIONAL household scissors	5	13		Industrial pack: 10 each
52046	PROFESSIONAL household scissors	6	16		Industrial pack: 10 each
52008	PROFESSIONAL paper scissors	8	21		Industrial pack: 10 each
52010	PROFESSIONAL paper scissors	10	26		Industrial pack: 10 each



DAHLE PROFESSIONAL multipurpose scissors

- Professional multipurpose scissors for the most exacting demands on quality and durability
- High-quality, hardened stainless steel (56 Rockwell)
- Precision-ground scissor blades for exact cutting results
- Firm screw-fastened joint with additional nylon retainer
- for simple re-adjustment of the blade tension • Resharpenable scissor blades
- for perfect, constant cutting results
- High-quality scissor handles in highly impact-resistant ABS plastic
- Stainless, dishwasher-safe and colour-fast materials • for long life
- Every pair of scissors hand-tested to guarantee maximum quality
- Practical added value thanks to the cap opener integrated in the handles
- Practical micro-serration reliably grips the material being cut

					901	8
Product name	Туре		Inch	Size cm	Right- hand	Contents
50038	PROFESSIONAL multip	ourpose scissors	8	21		Self-service pack: 1 each
52038	PROFESSIONAL multip	ourpose scissors	8	21		Industrial pack: 10 each
RDARE				5	aur 20	
Sales-boosting blister pac	ck	Reliable fixing of the cutting	materi	al	Practical add	ded value thanks to the

in a modern design

through micro toothing



DAHLE COLOR ID 54508 scissors

- Non-rusting, special hardened scissor steel for exact cutting results
- Ground scissor blades for long-lasting sharpness
- Rubber-line soft-touch handles for creative work and cutting comfort



Product name	Туре	Inch	Size cm	Righthand	Colours	Contents
54508 54580	Office paper scissors Office paper scissors	8	21 21			Self-service pack: 1 each Displ. cont. 15 pairs of scissors
51500	office paper seissons	0	21	-		



DAHLE OFFICE titanium scissors

- High-quality scissors with non-stick titanium nitride coating
- Non-stick finish prevents adhesives from sticking to the scissor blades
- Titanium-coated, precision-ground scissor blades for long-lasting sharpness
- Special hardened stainless steel for long life
- High-quality polypropylene handles
- Coloured, ergonomically shaped soft-grip handle for comfort and precision while cutting

Product name	Туре	Inch	Size cm	Right- hand	Contents
54305	OFFICE titanium household scissors	5	13		Self-service pack: 1 each
54307	OFFICE titanium household scissors	7	18		Self-service pack: 1 each
54308	OFFICE titanium paper scissors	8	21		Self-service pack: 1 each



Precision-ground scissor blades with titanium nitride coating



Non-stick coating prevents adhesives from sticking to the scissor blades





OFFICE comfort-grip scissors



DAHLE OFFICE comfort-grip scissors

- Comfort-grip scissors for cutting comfort
- Special hardened stainless scissor steel for long life
- Ground scissor blades for long-lasting sharpness
- High-quality polypropylene handles
- Coloured, ergonomically shaped soft-grip handle for comfort and precision while cutting

Product name	Туре	Inch	Size cm	Left- hand	Right- hand	Contents
54405	OFFICE Comfort-Grip household scissors	5,5	14	-		Self-service pack: 1 each
54407	OFFICE Comfort-Grip household scissors	7	18	-		Self-service pack: 1 each
54408	OFFICE Comfort-Grip paper scissors	8	20	-		Self-service pack: 1 each
54418	OFFICE Comfort-Grip paper scissors	8	20		-	Self-service pack: 1 each
54410	OFFICE Comfort-Grip paper scissors	10	25	-		Self-service pack: 1 each



Precision-ground scissor blades for cutting precision

Ergonomic soft-grip handle for comfort while cutting



DAHLE HOME scissors

- Practical scissors for office and home office use
- Special hardened stainless scissor steel for cutting precision
- Ground scissor blades for long-lasting sharpness
- High-quality, ergonomically shaped scissor handles in non-breakable ABS plastic

Multipurpose scissors 54638 with added features:

- Micro-serration reliably grips the material being cut
- Practical added value thanks to the cap opener integrated in the handles

Product name	Туре	Inch	Size cm	Left- hand	Right- hand	Contents
54605	HOME household scissors	5	13	-		Self-service pack: 1 each
54606	HOME household scissors	6	15	-		Self-service pack: 1 each
54607	HOME household scissors	7	17	-		Self-service pack: 1 each
54608	HOME paper scissors	8	21	-		Self-service pack: 1 each
54618	HOME paper scissors	8	21		-	Self-service pack: 1 each
54610	HOME paper scissors	10	25	-		Self-service pack: 1 each
54638	HOME multipurpose scissors	8	21	-		Self-service pack: 1 each
	• •					·



DAHLE HOME scissor set

- Practical set of scissors in three sizes (5, 6, and 8 inches)
- Special hardened stainless scissor steel for cutting precision
- Ground scissor blades for long-lasting sharpness
- High-quality, ergonomically shaped scissor handles in non-breakable ABS plastic

Product name	Туре	Right- hand
54600	HOME scissor set	



Ground scissor blades for long-lasting sharpness Ergonomically shaped scissor handles in non-breakable ABS plastic





DAHLE Children's scissors

- Children's scissors with children's motifs on the scissor blades
- Non-rusting, special hardened steel
- Patterned, pointed scissor blades with appealing motifs
- Rubber-lined, ergonomically shaped soft-touch handles for comfort while cutting

Product name	Туре	Inch	Size cm	Scissor blade	Right- hand	Colours	Motifs	Contents
54665	Children's scissors	5.5	14	pointed			abc	Self-service pack: 1 each
54666	Children's scissors	5.5	14	pointed			dots	Self-service pack: 1 each
54667	Children's scissors	5.5	14	pointed			confetti	Self-service pack: 1 each
54668	Children's scissors	5.5	14	pointed			prisma	Self-service pack: 1 each



- Display with 24 patterned children's scissors (6 pairs per motif)
- Non-rusting, special hardened steel
- Patterned, pointed scissor blades with appealing motifs
- Rubber-lined soft-touch handles for comfort while cutting

C D C	N C	THE P
Andreas Anna Andreas Anna Anna Anna Anna Anna Anna Anna Anna Anna Anna Anna Anna		

Product name	Туре	Inch	Size cm	Scissor blade	Righthand	Contents
54682	Children's scissors	5	13	pointed		Displ. cont. 24 pairs of scissors
54681	Children's scissors	5.5	14	round		Displ. cont. 24 pairs of scissors

Product name	Type	Inch	Size	 Childre Non-ru Pattern Rubber 	n's scissors sting, speci ed, rounded -lined, ergo rt while cut	al hardened st d scissor blade nomically sha	s motifs on the so	motifs
Product name	Туре	Inch	Size cm	Scissor blade	Right- hand	Colours	Motifs	Contents
54661	Children's scissors	5	13	round			lolly	Self-service pack: 1 each
54662	Children's scissors	5	13	round			cars	Self-service pack: 1 each
54663	Children's scissors	5	13	round			sweets	Self-service pack: 1 each
54664	Children's scissors	5	13	round			hearts	Self-service pack: 1 each



DAHLE ECO children's scissors

- Children's scissors either with pointed or rounded blades
- Non-rusting, special hardened scissor steel
- Pointed scissor blades with cm graduation for cutting precision
- Scissor handles in non-breakable ABS plastic

Product name	Туре	Inch	Size cm	Scissor blade	Left- hand	Right- hand	Colours	Contents
54626	Children's scissors	5	13	round	-			Self-service pack: 1 each
54616	Children's scissors	5	13	round		-	•	Self-service pack: 1 each



51

Living and working with Novus Dahle.

Novus Dahle does everything it can to make work as pleasant and relaxed as possible for people in offices. That's why we don't just limit ourselves to the development and production of office technology, but also think ahead.

On WorklifeExperts you can find out more about the most important topics relating to office work: www.novus-dahle.com



Novus Dahle GmbH & Co. KG Dahle office products Breslauer Straße 34 - 38 GER - 49808 Lingen (Ems) Phone +49 (0) 591 9140-0 Fax +49 (0) 591 9140-841 info@novus-dahle.com

www.novus-dahle.com

EMCO Group

A company of the